

Meat marking ink (red, blue, brown, green)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Issue date: 10/08/2020 Revision date: 10/08/2020 Supersedes: 03/01/2020 Version: 10.02

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : Meat marking ink (red, blue, brown, green)

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Marking of animals

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

Raidex GmbH

Neuhäuser Str. 17

72581 Dettingen/Erms - Germany

T +49 7123-9751-0 - F +49 7123 9751-33

info@raidex.de

Email competent person

sds@kft.de

1.4. Emergency telephone number

Emergency number : National Health Service (NHS)
24 hour national number consumer
England and Scotland: 111
Wales: 0845 46 47
Northern Ireland: call your local General Practitioner

Call 999 if there is a life-threatening incident.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3

H226

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

:



GHS02

Signal word (CLP)

: Warning

Hazard statements (CLP)

: H226 - Flammable liquid and vapour.

Precautionary statements (CLP)

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
No smoking.
P233 - Keep container tightly closed.
P243 - Take action to prevent static discharges.

2.3. Other hazards

PBT: not relevant – no registration required

vPvB: not relevant – no registration required

Meat marking ink (red, blue, brown, green)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethanol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43-xxxx	≥ 25 – < 50	Flam. Liq. 2, H225 Eye Irrit. 2, H319
glycerol substance with national workplace exposure limit(s) (GB)	(CAS-No.) 56-81-5 (EC-No.) 200-289-5	≥ 20 – < 25	Not classified
Propane-1,2-diol substance with national workplace exposure limit(s) (GB)	(CAS-No.) 57-55-6 (EC-No.) 200-338-0	≥ 2.5 – < 5	Not classified

Specific concentration limits:

Name	Product identifier	Specific concentration limits
Ethanol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43-xxxx	(50 ≤C < 100) Eye Irrit. 2, H319

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: In case of doubt or persistent symptoms, consult always a physician.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: The product is not considered to be irritating to the skin. Gently wash with plenty of soap and water. Rinse skin with water/shower. Take off immediately all contaminated clothing.
First-aid measures after eye contact	: Immediately rinse with water for a prolonged period while holding the eyelids wide open. If symptoms persist, call a physician. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Drink plenty of water. Do not give an unconscious person anything to drink. After the uptake of large quantities Call a doctor. If symptoms persist, call a physician. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact	: Causes serious eye irritation. Eye irritation.
------------------------------------	--

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire. Use fire fighting measures suiting the environment. Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Strong water jet.

Meat marking ink (red, blue, brown, green)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

5.2. Special hazards arising from the substance or mixture

- | | |
|--|---|
| Fire hazard | : Flammable liquid and vapour. |
| Explosion hazard | : Explosive vapour/air mixtures may be formed. |
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. On burning: release of carbon monoxide - carbon dioxide. traces of formaldehyde and acrylaldehyde. |

5.3. Advice for firefighters

- | | |
|--------------------------------|---|
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |
| Other information | : Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Disposal must be done according to official regulations. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- | | |
|------------------|---|
| General measures | : Remove all sources of ignition. Evacuate unnecessary personnel. Avoid contact with skin and eyes. |
|------------------|---|

6.1.1. For non-emergency personnel

- | | |
|----------------------|---|
| Protective equipment | : Wear personal protective equipment. |
| Emergency procedures | : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. |

6.1.2. For emergency responders

- | | |
|----------------------|---|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
|----------------------|---|

6.2. Environmental precautions

Avoid sub-soil penetration. Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

- | | |
|-------------------------|--|
| Methods for cleaning up | : Take up liquid spill into absorbent material. Take up liquid spill into absorbent material, e.g.: sand, saw dust. Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal. This material and its container must be disposed of in a safe way, and as per local legislation. Notify authorities if product enters sewers or public waters. |
| Other information | : Disposal must be done according to official regulations. |

6.4. Reference to other sections

Information for safe handling. See section 7. Concerning personal protective equipment to use, see section 8. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- | | |
|-----------------------------------|--|
| Additional hazards when processed | : In use, may form flammable vapour-air mixture. |
| Precautions for safe handling | : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Avoid inhalation of vapours. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. |
| Hygiene measures | : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |

7.2. Conditions for safe storage, including any incompatibilities

- | | |
|---------------------------|---|
| Technical measures | : Ground/bond container and receiving equipment. |
| Storage conditions | : Keep away from heat and direct sunlight. Store in a well-ventilated place. Keep cool. Keep container tightly closed. |
| Heat and ignition sources | : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from heat and direct sunlight. |

Meat marking ink (red, blue, brown, green)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Information about storage in one common storage facility : Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

glycerol (56-81-5)	
United Kingdom - Occupational Exposure Limits	
Local name	Glycerol
WEL TWA (mg/m ³)	10 mg/m ³ mist
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

Propane-1,2-diol (57-55-6)	
United Kingdom - Occupational Exposure Limits	
Local name	Propane-1,2-diol
WEL TWA (mg/m ³)	10 mg/m ³ particulates 474 mg/m ³ total vapour and particulates
WEL TWA (ppm)	150 ppm total vapour and particulates
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

Ethanol (64-17-5)	
United Kingdom - Occupational Exposure Limits	
Local name	Ethanol
WEL TWA (mg/m ³)	1920 mg/m ³
WEL TWA (ppm)	1000 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

glycerol (56-81-5)	
DNEL/DMEL (Workers)	
Long-term - local effects, inhalation	56 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	229 mg/kg bodyweight/day
Long-term - local effects, inhalation	33 mg/m ³
PNEC (Water)	
PNEC aqua (freshwater)	0.885 mg/l
PNEC aqua (marine water)	0.088 mg/l
PNEC aqua (intermittent, freshwater)	8.85 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	3.3 mg/kg dwt
PNEC sediment (marine water)	0.33 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.141 mg/kg dwt

Meat marking ink (red, blue, brown, green)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

PNEC (STP)	
PNEC sewage treatment plant	1000 mg/l

Ethanol (64-17-5)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	343 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	950 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	87 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	114 mg/m ³
Long-term - systemic effects, dermal	206 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0.96 mg/l
PNEC aqua (marine water)	0.79 mg/l
PNEC aqua (intermittent, freshwater)	2.75 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	3.6 mg/kg dwt
PNEC sediment (marine water)	2.9 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.63 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	0.38 kg/kg food
PNEC (STP)	
PNEC sewage treatment plant	580 mg/l

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Use good personal hygiene practices. Wash hands before break and at end of works.

Hand protection:
In case of repeated or prolonged contact wear gloves. Chemically resistant protective gloves. Nitrile rubber. EN 374. Apply emollient cream. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer. Gloves must be replaced after each use and whenever signs of wear or perforation appear

Eye protection:
Use splash goggles when eye contact due to splashing is possible. Sealed safety goggles. EN 166. Wear closed safety glasses

Skin and body protection:
Wear suitable protective clothing. EN 340. EN 13034

Meat marking ink (red, blue, brown, green)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Short term exposure. Breathing equipment is only to be used in order to handle the residual risk of short term jobs if all other risk minimizing measures have been carried out e.g. retention and/or local exhaust. In case of unintentional release of substance, exceeding the occupational exposure limit value Breathing apparatus with filter, Filter type: A. . EN 143. Breathing apparatus with filter

Environmental exposure controls:

Avoid sub-soil penetration. Do not allow into drains or water courses. Avoid release to the environment.

Other information:

Do not eat, drink or smoke when using this product. Avoid contact with skin and eyes. Always wash hands after handling the product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: According to product specification.
Odour	: characteristic.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 23 °C
Auto-ignition temperature	: 400 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: 59 hPa at 20 °C
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Miscible.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Product is not explosive. In use, may form flammable/explosive vapour-air mixture. Can form explosive mixtures with air. Explosive vapour/air mixtures may be formed.
Oxidising properties	: Non oxidizing.
Explosive limits	: 0.9 – 15 vol % Ethanol

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport. Flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

Meat marking ink (red, blue, brown, green)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met)
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)

Propane-1,2-diol (57-55-6)

NOAEL (chronic, oral, animal/male, 2 years)	1700 mg/kg bodyweight male
---	----------------------------

Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)

Propane-1,2-diol (57-55-6)

NOAEL (subchronic, oral, animal/male, 90 days)	2100 mg/kg bodyweight (female; Chronic; 2 years)
--	--

Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
-------------------	---

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic)	: Not classified (Based on available data, the classification criteria are not met)

12.2. Persistence and degradability

Propane-1,2-diol (57-55-6)

Persistence and degradability	Readily biodegradable.
Biodegradation	98.3 % (28 d; (OECD 301F method))

Ethanol (64-17-5)

Persistence and degradability	Readily biodegradable.
Biodegradation	84 % (20 d)

12.3. Bioaccumulative potential

Propane-1,2-diol (57-55-6)

Bioconcentration factor (BCF REACH)	0.09
Partition coefficient n-octanol/water (Log Pow)	-1.07 (Test method EU A.8; 20.5 °C)
Bioaccumulative potential	not bioaccumulable.

Meat marking ink (red, blue, brown, green)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Ethanol (64-17-5)	
Partition coefficient n-octanol/water (Log Kow)	-0.35 (20 °C)
Bioaccumulative potential	Bioaccumulation unlikely.

12.4. Mobility in soil

Propane-1,2-diol (57-55-6)	
Surface tension	71.6 mN/m (21.5 °C; 1.01 g/L; EU Method A.5)
Partition coefficient n-octanol/water (Log Koc)	0.46

Ethanol (64-17-5)	
Surface tension	22.31 mN/m (20 °C)

12.5. Results of PBT and vPvB assessment

Meat marking ink (red, blue, brown, green)	
PBT: not relevant – no registration required	
vPvB: not relevant – no registration required	

Component	
glycerol (56-81-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Propane-1,2-diol (57-55-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Ethanol (64-17-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods	: Disposal must be done according to official regulations. European waste catalogue. Do not discharge into drains or the environment. Do not dispose of with domestic waste.
Product/Packaging disposal recommendations	: Dirty containers cannot be handled as normal waste. Recycle or dispose of in compliance with current legislation.
Additional information	: Flammable vapours may accumulate in the container.
European List of Waste (LoW) code	: 07 01 04* - other organic solvents, washing liquids and mother liquors
HP Code	: HP3 - "Flammable:" — flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C; — flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air; — flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction; — flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa; — water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities; — other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.






Meat marking ink (red, blue, brown, green)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 14: Transport information


In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 1170	UN 1170	UN 1170	UN 1170	UN 1170
14.2. UN proper shipping name				
ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	Ethanol solution	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Transport document description				
UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III, (D/E)	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III	UN 1170 Ethanol solution, 3, III	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III
14.3. Transport hazard class(es)				
3	3	3	3	3
				
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR) : F1
Special provisions (ADR) : 144, 601
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1
Transport category (ADR) : 3
Hazard identification number (Kemler No.) : 30
Orange plates :



Tunnel restriction code (ADR) : D/E

Transport by sea

Special provisions (IMDG) : 144, 223
Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E1
EmS-No. (Fire) : F-E
EmS-No. (Spillage) : S-D

Meat marking ink (red, blue, brown, green)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y344
PCA limited quantity max net quantity (IATA) : 10L
PCA packing instructions (IATA) : 355
PCA max net quantity (IATA) : 60L
CAO max net quantity (IATA) : 220L
Special provisions (IATA) : A3, A58, A180

Inland waterway transport

Classification code (ADN) : F1
Special provisions (ADN) : 144, 601
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Carriage permitted (ADN) : T

Rail transport

Classification code (RID) : F1
Special provisions (RID) : 144, 601
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1
Transport category (RID) : 3
Hazard identification number (RID) : 30

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:	
Reference code	Applicable on
3(a)	Meat marking ink (red, blue, brown, green) ; Ethanol
3(b)	Meat marking ink (red, blue, brown, green) ; Ethanol
40.	Meat marking ink (red, blue, brown, green) ; Ethanol

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Directive 2012/18/EU (SEVESO III)

Seveso III Part I (Categories of dangerous substances)	Qualifying quantity (tonnes)	
	Lower-tier	Upper-tier
P5c FLAMMABLE LIQUIDS Flammable liquids, Categories 2 or 3 not covered by P5a and P5b	5000	50000

15.1.2. National regulations

United Kingdom

National regulations : Take note of Directive 94/33/EC on the protection of young people at work.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Meat marking ink (red, blue, brown, green)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 16: Other information

Indication of changes:

No change required according to maintenance check.

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
vPvB	Very Persistent and Very Bioaccumulative
DMEL	Derived Minimal Effect level
IARC	International Agency for Research on Cancer
NOAEC	No-Observed Adverse Effect Concentration
OECD	Organisation for Economic Co-operation and Development
TLM	Median Tolerance Limit

Data sources : ECHA (European Chemicals Agency). Information provided by the manufacturer.
Department issuing data : KFT Chemieservice GmbH
specification sheet: Im Leuschnerpark. 3 64347 Griesheim
Germany

Phone: +49 6155-8981-400 Fax: +49 6155 8981-500
Safety Data Sheet Service: +49 6155 8981-522

Contact person : Barbara Stark

Full text of H- and EUH-statements:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2

Meat marking ink (red, blue, brown, green)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Flam. Liq. 3	Flammable liquids, Category 3
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H319	Causes serious eye irritation.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Flam. Liq. 3	H226	On basis of test data

KFT SDS EU 00

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.