

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006
(amended by Regulation (EU) 2020/878)

Shampooing Pelage Blanc

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Shampooing Pelage Blanc
Product code 805900601 250ML // 805900602 1L

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture Shampoo

1.3. Details of the supplier of the safety data sheet

Company/Undertaking Identification UKAL ELEVAGE
Parc économique de la Sauer
2 rue de l'Etang
67360 ESCHBACH
FRANCE
Tel: +33 3 88 07 40 15
e-mail: ukalel@ukal.com

1.4. Emergency telephone number +41 44 251 66 66 (Tox Center, Germany)
24h-Notruf: +41 44 251 51 51
+33 3 83 22 50 50 (Tox Center, France, 24h/24h)
+32 070 245 245 (Tox Center, Belgium, 24h/24h)

Revision date 14.06.2024

Version 001

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 Skin corrosion/irritation, Cat. 3, H316
Serious eye damage/eye irritation, Cat. 2A, H319
Hazardous to the aquatic environment, chronic, Cat. 3, H412

Additional information For the full text of the phrases mentioned in this Section, see

Section 16.

2.2. Label elements



Signal Word

Warning

Hazard Statements

H316: Causes mild skin irritation.
H319: Causes serious eye irritation.
H412: Harmful to aquatic life with long lasting effects.

Precautionary statements

P102: Keep out of reach of children.
P264: Wash skin thoroughly after handling.
P273: Avoid release to the environment.
P280: Wear protective gloves, eye protection and face protection.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313: If eye irritation persists: Get medical advice/attention.
P362+P364: Take off contaminated clothing and wash it before reuse.
P501: Dispose of contents/ container to an approved waste disposal plant.

Supplemental information

EUH208: Contains Galaxolide, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one. May produce an allergic reaction.

Product identifier

Not required.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Aqueous surfactant solution.

Components	Weight %	CLP Classification	Product identifier
Laurylethersulfat	5% - 10%	Skin Irrit. 2 H315, Eye Dam. 1 H318, Aquatic Chronic 3 H412 [Eye Dam. 1 H318: C > 10 % ! Eye Irrit. 2A H319: 5 % ≤ C ≤ 10 %]	CAS-No.: 68891-38-3 REACH No.: 01-2119488639-16-004
Cocoamidopropyl Betaine	1% - 5%	Eye Dam. 1 H318, Aquatic Chronic 3 H412 [Eye Dam. 1 H318: C > 10 % ! Eye Irrit. 2 H319: 4 % < C ≤ 10 %]	CAS-No.: 147170-44-3 REACH No.: 01-2119489410-39
Benzyl alcohol	1% - 5%	Acute Tox. 4 H332, Acute Tox. 4 H302	CAS-No.: 100-51-6 EC-No.: 202-859-9 Index-No: 603-057-00-5
Galaxolide	< 1%	Skin Sens. 1 H317, Aquatic Acute 1 H400, Aquatic Chronic 1 H410	CAS-No.: 1222-05-5 REACH No.: 01-2119488227-29
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	< 1%	Skin Irrit. 2 H315, Skin Sens. 1B H317, Aquatic Acute 1 H400, Aquatic Chronic 1 H410	CAS-No.: 54464-57-2 EC-No.: 259-174-3

For the full text of the phrases mentioned in this Section, see Section 16.

Hazardous impurities None known.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Consult a physician for severe cases. Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Protect unharmed eye. Consult an ophthalmologist.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Prevent vomiting if possible. Consult a physician for severe cases. Consult a physician if necessary.

4.2. Most important symptoms and effects, both acute and delayed Most important symptoms: Erythema. Anticipated acute effects: Superficial burning sensation. Blurred vision.

4.3. Indication of any immediate medical attention and special treatment needed None known.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry extinguishing agent or carbon dioxide.

Unsuitable extinguishing media High volume water jet.

5.2. Special hazards arising from the substance or mixture During a fire, smoke may contain the original material in addition to unidentified toxic and/or irritating compounds. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

5.3. Advice for firefighters

Special protective equipment for firefighters Standard procedure for chemical fires. In the event of fire, wear self-contained breathing apparatus. Complete suit protecting against chemicals.

Specific methods Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Use personal protective equipment. Avoid contact with skin and eyes. Do not breathe vapours/dust.

For emergency responders Use personal protective equipment. Do not breathe vapours/dust. Ventilate the area. Keep people away from and upwind of spill/leak.

6.2. Environmental precautions Do not flush into surface water or sanitary sewer system. Contain spillage, and then collect with non-combustible absorbent material, (e.g. universal binder, sand, diatomaceous earth, vermiculite). Advise water authority if spillage has entered water course or drainage system.

6.3. Methods and material for containment and cleaning up Keep in suitable and closed containers for disposal (Plastic container of HDPE). Clean up promptly by sweeping or vacuum.

6.4. Reference to other sections See chapter 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Plan first aid action before beginning work with this product. Wear personal protective equipment. Do not breathe vapours/dust. Avoid contact with skin and eyes.
7.2. Conditions for safe storage, including any incompatibilities	Store in a place accessible by authorized persons only. Keep container tightly closed. Store in original container.
7.3. Specific end use(s)	No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit(s)	No data is available on the product itself.
Benzy alcohol (CAS 100-51-6)	
Belarus - Occupational Exposure Limits - Harmful Substances - Class 3 - Moderately Dangerous Substances	Present
Belarus - Occupational Exposure Limits - Harmful Substances - Skin Notations	Skin notation
Belarus - Occupational Exposure Limits - MACs	5 mg/m ³ MAC (vapor)
Switzerland - Occupational Exposure Limits - Developmental Risk Groups	Developmental Risk Group C
Switzerland - Occupational Exposure Limits - Skin Notation	skin notation
Switzerland - Occupational Exposure Limits - TWAs - (MAKs)	5 ppm TWA [MAK] NIOSH (aerosol, vapour) 22 mg/m ³ TWA [MAK] NIOSH (aerosol, vapour)
Bulgaria - Occupational Exposure Limits - TWAs	5.0 mg/m ³ TWA
Czech Republic - Occupational Exposure Limits - Ceilings	80 mg/m ³ Ceiling
Czech Republic - Occupational Exposure Limits - TWAs	40 mg/m ³ TWA
Finland - Occupational Exposure Limits - TWAs	10 ppm TWA 45 mg/m ³ TWA
France - Occupational Illnesses	RG 84
Germany - DFG - Recommended Exposure Limits - Ceilings (Peak Limitations)	44 mg/m ³ Peak (can occur as vapor and aerosol at the same time) 10 ppm Peak (can occur as vapor and aerosol at the same time)
Germany - DFG - Recommended Exposure Limits - Pregnancy	no risk to embryo/fetus if exposure limits adhered to
Germany - DFG - Recommended Exposure Limits - Skin Notation	skin notation
Germany - DFG - Recommended Exposure Limits - TWAs (MAKs)	22 mg/m ³ TWA MAK (can occur as vapor and aerosol at the same time) 5 ppm TWA MAK (can occur as vapor and aerosol at the same time)
Germany - TRGS 900 - Occupational Exposure Limits -	5 ppm TWA AGW (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)

TWAs (AGWs)	sum of vapor and aerosol, exposure factor 2) 22 mg/m ³ TWA AGW (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed sum of vapor and aerosol, exposure factor 2) 5 mg/m ³ TWA ([100])
Latvia - Occupational Exposure Limits - TWAs	
Lithuania - Occupational Exposure Limits - Acute Dangerous Substances	Acute dangerous substance ([087])
Lithuania - Occupational Exposure Limits - Skin Notations	Skin notation ([087])
Lithuania - Occupational Exposure Limits - TWAs (IPRDs)	5 mg/m ³ TWA [IPRD] ([087])
Poland - Occupational Exposure Limits - TWAs (NDSs)	240 mg/m ³ TWA [NDS]
Slovenia - Occupational Exposure Limits - Skin Notations	Potential for cutaneous absorption
Slovenia - Occupational Exposure Limits - STELs	10 ppm STEL 44 mg/m ³ STEL
Slovenia - Occupational Exposure Limits - TWAs	22 mg/m ³ TWA 5 ppm TWA

8.2. Exposure controls

Appropriate engineering controls Handle in accordance with good industrial hygiene and safety practice.

Personal protection equipment

Respiratory protection No special protective equipment required.

Hand protection The selected protective gloves have to satisfy the specifications of Regulation (EU) No. 2016/425 and the standard EN 374 derived from it.

Eye protection Safety glasses with side-shields conforming to EN166.

Skin and body protection Long sleeved clothing.

Thermal hazards No special measures required.

Environmental exposure controls Prevent product from entering surface water or sewage.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	No information available.
Colour	No information available.
Odour	No information available.
Melting point/ freezing point:	Not determined.
Boiling point or initial boiling point / range:	Not determined.
Flammability:	Not determined.
Lower and upper explosion limit:	Not determined.
Flash point:	Not determined.

Auto-ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
pH:	7 (100% in solution)
Kinematic viscosity:	Not determined.
Solubility:	Not determined.
Partition coefficient n-octanol/water (log value):	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density:	Not determined.
Relative vapour density:	Not determined.
Particle characteristics:	not relevant (liquid)

9.2. Other information

9.2.1 Information with regard to physical hazard classes	No information available.
9.2.2 Other safety characteristics	No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity	No information available.
10.2. Chemical stability	No decomposition if used as directed.
10.3. Possibility of hazardous reactions	No information available.
10.4. Conditions to avoid	Burning produces obnoxious and toxic fumes.
10.5. Incompatible materials	None.
10.6. Hazardous decomposition products	None under normal use.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity	Laurylethersulfat (CAS 68891-38-3) Dermal LD50 Rat > 2000 mg/kg (ECHA_API) Benzyl alcohol (CAS 100-51-6) Dermal LD50 Rabbit = 2 g/kg (NLM_CIP) Inhalation LC50 Rat > 4178 mg/m ³ 4 h(ECHA_API) Oral LD50 Rat = 1230 mg/kg (NLM_CIP) Galaxolide (CAS 1222-05-5) Dermal LD50 Rabbit > 3250 mg/kg (CHEMVIEW) Inhalation LC50 Rat > 5.04 mg/L 4 h(ECHA_API) Oral LD50 Rat > 3250 mg/kg (CHEMVIEW)
Skin corrosion/irritation	Mild skin irritation.
Serious eye damage/eye irritation	Causes serious eye irritation.

Respiratory / Skin Sensitisation	None.
Carcinogenicity	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.
Specific target organ toxicity (single exposure)	No data available.
Specific target organ toxicity (repeated exposure)	No data available.
Aspiration hazard	No data available.
Human experience	No data available.

11.2. Information on other hazards

Endocrine disrupting properties	No data available.
Other information	No data available.

SECTION 12: Ecological information

12.1. Toxicity	May change pH of waters. Harmful to aquatic life with long lasting effects.
Benzyl alcohol (CAS 100-51-6) EU - Ecolabel (66/2010) - Detergent Ingredient Database - Aerobic Degradation Ecotoxicity - Freshwater Fish - Acute Toxicity Data Ecotoxicity - Water Flea - Acute Toxicity Data	Readily biodegradable according to OECD guidelines. LC50 96 h Pimephales promelas 460 mg/L [static] (EPA) LC50 96 h Lepomis macrochirus 10 mg/L [static] (EPA) EC50 48 h water flea 23 mg/L
12.2. Persistence and degradability	Neutralization is normally necessary before waste water is discharged into water treatment plants. Not readily biodegradable.
12.3. Bioaccumulative potential	The product may be accumulated in organisms.
12.4. Mobility in soil	No data available.
12.5. Results of PBT and vPvB assessment	Based on the available data of the raw materials used, it is assumed that the product is not persistent, bioaccumulative or toxic (PBT).
12.6. Endocrine disrupting properties	No information available.
12.7. Other adverse effects	No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues / unused products

Dispose of in accordance with local regulations. The named code according to the European Waste Catalogue (EWC) is recommended. Due to the application by the user probably another code has to be applied. Il codice dei rifiuti proposto secondo VEVA SR 814.610.1 si riferisce al prodotto nelle condizioni di consegna. Il prodotto dopo l'uso può avere una composizione diversa, che può comportare una riclassificazione. Questo deve essere concordato con la società di smaltimento. Waste disposal number 200130.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

14.1. UN number or ID number Not applicable.

14.2. UN proper shipping name Not applicable.

14.3. Transport hazard class(es) Not applicable.

14.4. Packing group Not applicable.

14.5. Environmental hazards Not applicable.

14.6. Special precautions for user Not applicable.

14.7. Maritime transport in bulk according to IMO instruments Not applicable.

UN Model Regulations

ADR/RID Not regulated.

IMDG Not regulated.

IATA Not regulated.

Further Information None.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulatory Information

Water contaminating class (WGK Germany) = 1.
Storage class 12.
VOC (CH) = 1 %

Laurylethersulfat (CAS 68891-38-3)

Germany - Water Classification - Substances According to AwSV Classified By or Based on the VwVwS	Reg. no. 8919, hazard class 1 - slightly hazardous to water (2 EO)
Cocoamidopropyl Betaine (CAS 147170-44-3)	
EU - REACH (1907/2006) - List of Registered Substances	Present
Benzyl alcohol (CAS 100-51-6)	
Switzerland - Volatile Organic Compounds (VOCs) - Group I	2906.2100
Switzerland - Water Protection Ordinance - Water Polluting Liquids Classification	B
EU - Cosmetics (1223/2009) - Annex III - Other Limitations and Requirements	The presence of the substance must be indicated in the list of ingredients referred to in Article 19[1][g] when the concentration exceeds: 0.001% in leave-on products, 0.01% in rinse-off products Substance is a monoterpene, and is subject to restriction on peroxide value set out in entry 130 of Annex III to (EC) No 1223/2009 For purposes other than inhibiting the development of micro-organisms in the product. This purpose has to be apparent from the presentation of the product 1.0 % MAC
EU - Cosmetics (1223/2009) - Annex V - Preservatives - Maximum Authorised Concentration	1.0 % MAC
EU - REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	Use restricted. See entry 75.
EU - REACH (1907/2006) - List of Registered Intermediates	Present ([202-859-9])
EU - REACH (1907/2006) - List of Registered Substances	Present
Germany - Water Classification - Substances According to AwSV Classified By or Based on the VwVwS	Reg. no. 216, hazard class 1 - slightly hazardous to water
Galaxolide (CAS 1222-05-5)	
TEDX (The Endocrine Disruption Exchange) - Potential Endocrine Disruptors	Present
EU - Cosmetics (1223/2009) - Annex III - Other Limitations and Requirements	The presence of the substance must be indicated in the list of ingredients referred to in Article 19[1][g] when the concentration exceeds: 0.001% in leave-on products, 0.01% in rinse-off products (cosmetic products containing that substance that do not comply with the restriction(s) may be placed on the Union market until 31 July 2026 and made available on the Union market until 31 July 2028)
EU - Endocrine Disrupters - Ranked Priority List - Human Health Categorizations	Category 3b
EU - Endocrine Disrupters - Ranked Priority List - Overall Categorizations	Category 3b
EU - Endocrine Disrupters - Ranked Priority List - Wildlife Categorizations	Category 3b
EU - REACH (1907/2006) - List of Registered Substances	Present

Germany - Water Classification -
Substances According to AwSV
Classified By or Based on the
VwVwS

Reg. no. 2672, hazard class 2 - obviously hazardous to water

1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one (CAS 54464-57-2)

EU - Cosmetics (1223/2009) -
Annex III - Other Limitations and
Requirements

The presence of the substance must be indicated in the list of ingredients referred to in Article 19[1][g] when the concentration exceeds: 0.001% in leave-on products, 0.01% in rinse-off products (cosmetic products containing that substance that do not comply with the restriction(s) may be placed on the Union market until 31 July 2026 and made available on the Union market until 31 July 2028)

Germany - Water Classification -
Substances According to AwSV
Classified By or Based on the
VwVwS

Reg. no. 3471, hazard class 2 - obviously hazardous to water

**15.2. Chemical safety
assessment**

Not required.

SECTION 16: Other information

**Key or legend to abbreviations
and acronyms**

None.

**Key literature references and
sources for data**

For further explanations such as measurement methods and notations, please consult SUVA Limit Values at the Workplace, document 1903 of SUVA.

**Full text of phrases referred to
under sections 2 and 3**

H302: Harmful if swallowed.
H315: Causes skin irritation.
H316: Causes mild skin irritation.
H317: May cause an allergic skin reaction.
H318: Causes serious eye damage.
H319: Causes serious eye irritation.
H332: Harmful if inhaled.
H400: Very toxic to aquatic life.
H410: Very toxic to aquatic life with long lasting effects.
H412: Harmful to aquatic life with long lasting effects.

Further information

Take notice of the directions of use on the label.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.